





EpiXsky's **Lumi Mini Downlights** are the perfect combination of power and design for high quality architectural, commercial and home automation use and can be controlled by EpiXsky's **Advanced Pro RS232 Controller** or work independently.



NO MORE OBSTRUCTIVE CAN LIGHTING!



MINIMAL DESIGN

POWER & DESIGN

3 WATT PLUG & PLAY MINI DOWNLIGHT



Perfect for Drop in and Acoustic Fabric Star Ceiling Panels



(black housing)



(white housing)

- ▶ Low Wattage runs MULTIPLE lights through RJ45 Connection!
- ▶ Unique Power Over Cat 5
- ▶ 3 Watts of power in a compact fixture
- ▶ Available in black or white housing
- ▶ Can be controlled via DMX decoder or any constant voltage controller
- ▶ Dimmable with our Epic Cube, Advanced-Pro RS232 serial controller or 3rd party controllers
- ▶ Long Lamp Life




SPECIFICATION
LUMI MINI DOWNLIGHT

POWERFUL COMPACT 3 WATT DOWNLIGHT


PROJECT	DATE
TYPE	QTY



LUMI MINI DOWNLIGHT
 3W LED Mini Downlight



SIDE VIEW



FRONT VIEW

KEY FEATURES:

- Daisy Chain Lumi's with Epix Mini Light Drivers
- 12VDC
- Compact Fixture
- 3 Watts of Power



LUMI MINI DOWNLIGHTS are the perfect combination of power and design for high quality architectural, commercial and home automation use.

These lights can be controlled by Epix Sky's Mini Light Driver, the Epic Cube, the Advanced-Pro RS-232 Controller, or work independently.

KEY FEATURES

- Low Wattage runs MULTIPLE lights through RJ45 Connection!
- Mini Light Driver accessory for daisy chaining multiple lights
- Unique Power Over Cat 5
- 3 Watts of power in a compact fixture.
- Available in black or white housing.
- Can be controlled with DMX decoder or any constant voltage controller.
- Dimmable with our Epic Cube, Epix Advanced-Pro RS-232 serial controller* or 3rd party controllers.
- Long Lamp Life
- Perfect for EpiXsky's Star Panel applications.

ORDERING Example: IL-LUMI-WW-D-BLK = Mini Downlight, Warm White, Dimmable with Black Housing

MODEL	COLOR TEMP	DIMMABLE	HOUSING COLOR
IL-LUMI			
3 Watt /12 VDC LED MINI DOWNLIGHT	WW - Warm White 3000K CW - Cool White 5000K	D - Dimmable N - Non-Dimmable <i>* Epic cube required for dimming</i>	WH - White Housing BLK - Black Housing


ACCESSORIES

- MINI LIGHT DRIVER
- EPIC CUBE
- ADVANCED-PRO
- WIFI INTERFACE
- EPIC LINK


SPECIFICATION
LUMI MINI DOWNLIGHT

POWERFUL COMPACT 3 WATT DOWNLIGHT

THIRD PARTY CONTROL



OUR EASY
 PLUG & PLAY
 SYSTEM MAKES
 INSTALLATION A
SNAP



**BUILD YOUR UNIVERSE BY ADDING
 ADDITIONAL ADDRESSABLE MODULES
 FOR THE ULTIMATE IMPACT AND CONTROL!**

epiXsky

A Division of Impact Lighting Inc.



2814 Silver Star Rd., Orlando, Florida 32808 • Ph. 1-800-507-5714 • Email: sales@epixsky.com

epiXsky.com